



**Task Chair
CAMY-R9**

W	D	H	AH	SH
17.50	21.50	35.5-38.5		18-21
COM YDS	COL SQ. FT.	CU. FT.	QTY/CT	LBS.
1.75	27.75	13	1	31.73

task chair-frame-die cast aluminum/ base-die cast aluminum-polished chrome-high resistance steel tube-gas lift-swivel casters-KD-assembly required-2 cartons

NOTE: FABRICS MUST BE APPROVED FOR APPLICATION-4 WAY STRETCH REQUIRED-minimum quantity required



**Side Chair
CAMY-S3**

W	D	H	AH	SH
17.50	21.25	35		18.50
COM YDS	COL SQ. FT.	CU. FT.	QTY/CT	LBS.
1.75	27.75	10	2	23.73

side chair-steel frame with molded cold-cured polyurethane shell-polished chrome

NOTE: FABRICS MUST BE APPROVED FOR APPLICATION-4 WAY STRETCH REQUIRED-minimum quantity required



**Bar Stool
CAMY-SG1**

W	D	H	AH	SH
18	21	34-44		22.5-32.5

COM YDS	COL SQ. FT.	CU. FT.	QTY/CT	LBS.
1.75	27.75	12	1	58.18

bar stool-steel frame with molded cold-cured polyurethane shell-polished chrome base/legs-swivel gas lift-KD-assembly required-2 cartons

NOTE: FABRICS MUST BE APPROVED FOR APPLICATION-4 WAY STRETCH REQUIRED-minimum quantity required