



**Pedestal Chair
KAREN-D1**

W	D	H	AH	SH
25	23.50	36.25	25.50	18
COM YDS	COL SQ. FT.	CU. FT.	QTY/CT	LBS.
1.75	28	14.23	1	55.98

arm chair-steel frame with molded cold-cured polyurethane shell-
stainless steel-swivel-top and/or single stitched based on COM-KD-
assembly required-2 cartons

NOTE: FABRICS MUST BE APPROVED FOR APPLICATION-4 WAY
STRETCH REQUIRED-minimum quantity required: 10



**Arm Chair
KAREN-L7**

W	D	H	AH	SH
25	23.50	36.25	25.50	18.00

COM YDS	COL SQ. FT.	CU. FT.	QTY/CT	LBS.
1.75	28	13.23	1	24.84

arm chair-steel frame with molded cold-cured polyurethane shell-
beech wood legs-top and/or single stitched based on COM-KD-
assembly required

NOTE: FABRICS MUST BE APPROVED FOR APPLICATION-4 WAY
STRETCH REQUIRED-minimum quantity required: 10



**Pedestal Chair
KAREN-R1**

W	D	H	AH	SH
25	23.50	36.25	25.50	18
COM YDS	COL SQ. FT.	CU. FT.	QTY/CT	LBS.
1.75	28	13.23	1	34.45

arm chair-steel frame with molded cold-cured polyurethane shell-
base-die cast aluminum-polished chrome-high resistance steel
tube-swivel-top and/or single stitched based on COM-KD-assembly
required-2 cartons

NOTE: FABRICS MUST BE APPROVED FOR APPLICATION-4 WAY
STRETCH REQUIRED-minimum quantity required: 10



**Task Chair
KAREN-R9**

W	D	H	AH	SH
25	23.50	32-35	25-28	17-20
COM YDS	COL SQ. FT.	CU. FT.	QTY/CT	LBS.
1.75	28	13	1	33.94

arm chair-steel frame with molded cold-cured polyurethane shell-
chrome base-swivel-gas lift-top and/or single stitched based on
COM-KD-assembly required-2 cartons

NOTE: FABRICS MUST BE APPROVED FOR APPLICATION-4 WAY
STRETCH REQUIRED-minimum quantity required: 10



**Arm Chair
KAREN-S5**

W	D	H	AH	SH
25	23.50	36.25	25.50	18
COM YDS	COL SQ. FT.	CU. FT.	QTY/CT	LBS.
1.75	28	13.23	1	24.84

arm chair-steel frame with molded cold-cured polyurethane shell-polished chrome legs-top and/or single stitched based on COM

NOTE: FABRICS MUST BE APPROVED FOR APPLICATION-4 WAY STRETCH REQUIRED-minimum quantity required: 10